GEORGIA DEPARTMENT OF COMMUNITY HEALTH

# CERTIFICATION OF MEDICAL NECESSITY MOBILE DEVICE USED AS A SPEECH GENERATING DEVICE WITH AAC THERAPY APPLICATION OR SOFTWARE

***SLP ASSESSEMENT REQUIRED***

Leave this date blank

Certification Type/Date: INITIAL ___/___/___ REVISED ___/___/___

| Member Full Name: John Doe | Supplier Name: Prentke Romich Company |
|---|---|
| Date of Birth: 01 01 2010 | Address and Telephone Number: 1022 Heyl Rd Wooster, OH 44691 800-268-5224 |
| Member Medicaid Number (DO NOT LIST MOTHER'S ID): | Supplier NPI Number: 1184602518 |

| **Place of Service** | **HCPCS Code(s)** | **PT DOB** 01 /01 /10 **Sex** M **HT.** 40" **(in) WT.** 50 lbs |
|---|---|---|
| 12 | E2510<br>E2599 | Physician Name, Address, Telephone and NPI<br>Dr. John Smith<br>133 main st<br>Wooster, OH<br>44691<br>330-123-4457<br>123456789 |

Primary Diagnosis Autism ICD-10 Diagnosis Code F84.0

Secondary Diagnoses supporting medical necessity: Mixed receptive-expressive language disorder ICD-10 Diagnosis Code(s) F80.2

List the Manufacturer's name PRC Model # Accent 800

**Required:** Submit a copy of the quote invoice or manufacturer's price list with prior authorization request.

**Equipment Prescribed** (All items must contain the specific names of the Device/Accessories /Software and must match SLP Evaluation, and be the least costly alternative for this product category):

| DETAILED PRODUCT DESCRITPION | HCPCS CODE |
|---|---|
| Accent 800 dedicated with Unity | E2510 |
| Additional Battery charger | E2599 |
| | |
| | |
| | |
| | |

GEORGIA DEPARTMENT OF COMMUNITY HEALTH

Based on the Speech Language Pathologists report, this equipment has been demonstrated to be useful and effective in the communication needs of the patient?

☒ YES ☐ NO

Expected prognosis with effective use of the device: Please list the medical necesity information here

This request is for: ☒ Purchase ☐ Rental

The Length of Need will be for 99 months (99= lifetime of device (minimum 3 years)

**Ordering Physician**

I certify that the prescribed mobile device and application ordered are reasonable and necessary to achieve the functional communication goals stated for the patient in the Speech-Language Pathologist's evaluation and plan of care. My order is based on an evaluation that was performed by a licensed Speech-Language Pathologist and includes the patient's physical, language and communication abilities and needs, and who has experience in the use of this device and software or application for speech therapy services., and that I have had a face-to-face evaluation with this member to discuss and review the appropriateness of the device within the six (6) months preceding this order, and I am enrolled with Georgia Medicaid for the purpose of ordering, referring, or prescribing medical services.

Additionally, I certify that I have reviewed a copy of the Speech-Language Pathologist's completed evaluation for the appropriate mobile device and software or application to be used for Augmentative and Alternative Communication therapy, and I agree with the recommendation for this equipment.

Date of face-to-face evaluation 11 / 10 / 18
(Must have occurred within 180 days prior to the order date)

Physician's Signature Dr's signature here Date 11 / 11 / 18
Printed Name of Physician Dr's printed name here
NPI # 123456789

**Stamps are not an acceptable form of authentication for the date or signature on a certificate of medical necessity or prescription/written order submitted to Georgia Medicaid.**



Revised 07/01/2018